




ELECTROSURGERY INSTRUMENTS

www.praise.com.pk

Single Use ESU Pencils



	Product Description
PC-100.31NS	ESU pencil finger switch 3m cable with standard blade electrode extended insulation Teflon coated non stick.
PC-100.41NS	ESU pencil finger switch 3m cable with needle electrode extended insulation Teflon coated non stick.
PC-100.50	ESU Pencil finger switch 3m cable with standard blade electrode.
PC-100.50NS	ESU pencil finger switch 3m cable with standard blade electrode Teflon coated non stick.
PC-100.51	ESU pencil finger switch 3m cable with standard blade electrode & tip cleaner.
PC-100.55	ESU pencil finger switch 3m cable with standard blade electrode & holster.
PC-100.56	ESU pencil finger switch 3m cable with standard blade electrode, tip cleaner & holster.
PC-100.60	ESU pencil finger switch 3m cable with needle electrode.



	Product Description
PC-110.13	Single use loop electrode (1.0x1.0cm) x 13cm.
PC-110.14	Single use loop electrode (1.0x1.5cm) x 13cm.
PC-110.18	Single use loop electrode (1.5x1.0cm) x 13cm.
PC-110.19	Single use loop electrode (1.5x1.2cm) x 13cm.
PC-110.20	Single use loop electrode (1.5x1.5cm) x 13cm.
PC-110.22	Single use loop electrode (2.0x1.0cm) x 13cm.
PC-110.23	Single use loop electrode (2.0x1.2cm) x 13cm.
PC-110.24	Single use loop electrode (2.0x1.3cm) x 13cm.
PC-110.25	Single use loop electrode (2.0x1.5cm) x 13cm.
PC-110.26	Single use loop electrode (2.0x2.0cm) x 13cm.

single use blade electrodes



	Product Description
PC-110.30	Single use blade electrode 7cm.
PC-110.60	Single use blade electrode 13cm.



	Product Description
PC-110.31NS	Single use blade electrode 7cm extended insulation Teflon coated non stick.
PC-110.33NS	Single use blade electrode 10cm extended insulation Teflon coated non stick.
PC-110.61NS	Single use blade electrode 16cm extended insulation Teflon coated non stick.

Single Use Needle Electrodes



	Product Description
PC-110.40	Single use needle electrode 7cm.
PC-110.45	Single use needle electrode 7cm curved.



	Product Description
PC-110.41NS	Single use needle electrode 7cm extended insulation Teflon coated non stick.
PC-110.43NS	Single use needle electrode 10cm extended insulation Teflon coated non stick.
PC-110.66NS	Single use needle electrode 15cm extended insulation Teflon coated non stick.

single use ball electrodes



	Product Description
PC-110.70	Single use ball electrode 0.3mm tip x 13cm.
PC-110.75	Single use ball electrode 0.5mm tip x 13cm.



	Product Description
PC-110.70NS	Single use ball electrode 0.3mm tip 13cm Teflon coated non stick.
PC-110.75NS	Single use ball electrode 0.5mm tip 13cm Teflon coated non stick.

micro needle electrodes




	Product Description
PC-110.87	Single use micro needle electrode 7cm tungsten carbide.
PC-110.89	Single use micro needle electrode 9cm tungsten carbide.

Single Use Bipolar Dissecting Forceps









	Product Description
PC-500.10	Single use bipolar forceps straight 16cm with 3m cable.
PC-500.15	Single use bipolar forceps straight 18cm with 3m cable.
PC-500.25	Single use bipolar forceps straight 20cm with 3m cable.
PC-500.28	Single use bipolar forceps straight angled 16cm with 3m cable.
PC-500.30	Single use bipolar forceps straight angled 20cm with 3m cable.
PC-500.35	Single use bipolar forceps straight 22cm with 3m cable sterile.
PC-500.40	Single use bipolar forceps bayonet 20cm with 3m cable sterile.





	Product Description
PC-510.25	Single use bipolar forceps Jeweller 11.5cm with 3m cable.
PC-515.25	Single use bipolar forceps Jeweller 11.5cm needle tip with 3m cable.

Reusable Electrosurgery Cable

	Product Code	Description
	PC-251.20	Monopolar Cable 3m, 4mm Pin End
	PC-251.21	Monopolar Cable 3m, 4mm Pin End
	PC-251.40	Monopolar Cable 3m, 8mm Pin End
	PC-251.41	Monopolar Cable 3m, 8mm Pin End
	PC-252.20	Monopolar Endoscopic Cable 3m, 4mm Pin End
	PC-252.21	Monopolar Endoscopic Cable 3m, 4mm Pin End
	PC-252.40	Monopolar Endoscopic Cable 3m, 8mm Pin End
	PC-252.41	Monopolar Endoscopic Cable 3m, 8mm Pin End
	PC-850.20	Bipolar Cable Silicone 3m, Euro/Twin, 4mm Pin End
	PC-850.21	Bipolar Cable Silicone 3m, Euro/Twin, 4mm Pin End
	PC-850.22	Bipolar Cable Silicone 3m, Euro/Fixed, 29mm Pin End
	PC-850.23	Bipolar Cable Silicone 3m, Euro/Fixed, 29mm Pin End

REUSABLE BIPOLAR ELECTROSURGERY

	Product Code	Description
	PC-850.20	Bipolar Cable Silicone 3m Euro/Twin 4mm Pin End
	PC-850.21	Bipolar Cable Silicone 3m Euro/Twin 4mm Pin End
	PC-850.22	Bipolar Cable Silicone 3m Euro/Fixed 29mm Pin End
	PC-850.23	Bipolar Cable Silicone 3m Euro/Fixed 29mm Pin End

Reusable electrosurgery products



	Product Description
PC-400.20	Adson bipolar forceps 12cm with 1.00mm tip
PC-400.40	Adson bipolar forceps 15.5cm with 1.00mm tip
PC-570.20	Jeweller bipolar forceps straight 11.5cm with micro 0.25mm tip
PC-575.20	Jeweller bipolar forceps straight 11.5cm with 0.60mm tip
PC-570.60	Jeweller bipolar forceps angled 11.5cm with micro 0.25mm tip
PC-570.40	Jeweller bipolar forceps curved 11.5cm with micro 0.25mm tip
PC-580.20	Mcperson bipolar forceps straight 10cm with fine 0.50mm tip
PC-580.40	Mcperson bipolar forceps angled 10cm with fine 0.50mm tip



	Product Description
PC-640.20	Bipolar forceps straight 15.5cm with fine 0.50mm tip
PC-645.20	Bipolar forceps straight 15.5cm with broad 1.00mm tip
PC-655.20	Bipolar forceps straight 18cm with fine 0.50mm tip
PC-660.20	Bipolar forceps straight 18cm with broad 1.00mm tip
PC-665.20	Bipolar forceps straight 19.5cm with fine 0.50mm tip
PC-668.20	Bipolar forceps straight 19.5cm with broad 1.00mm tip
PC-670.20	Bipolar forceps straight 22cm with fine 0.50mm tip
PC-672.20	Bipolar forceps straight 22cm with broad 1.00mm tip
PC-640.40	Bipolar forceps angled 15.5cm with fine 0.50mm tip
PC-645.40	Bipolar forceps angled 15.5cm with broad 1.00mm tip
PC-655.40	Bipolar forceps angled 18cm with fine 0.50mm tip
PC-660.40	Bipolar forceps angled 18cm with broad 1.00mm tip
PC-665.40	Bipolar forceps angled 19.5cm with fine 0.50mm tip
PC-668.40	Bipolar forceps angled 19.5cm with broad 1.00mm tip
PC-670.40	Bipolar forceps angled 22cm with fine 0.50mm tip

Bipolar Forceps



TIMESCO	Product Description
PC-678.20	Bipolar forceps bayonet 18cm with fine 0.5mm tip
PC-678.40	Bipolar forceps bayonet 18cm with broad 1.0mm tip
PC-680.20	Bipolar forceps bayonet 19.5cm with fine 0.5mm tip
PC-680.40	Bipolar forceps bayonet 19.5cm with broad 1.0mm tip
PC-685.40	Bipolar forceps bayonet 20cm with broad 1.0mm tip




	Product Description
PC-720.20	Bipolar forceps angled up 18cm with fine 0.5mm tip
PC-722.20	Bipolar forceps angled up 19.5cm with fine 0.5mm tip
PC-722.40	Bipolar forceps angled up 19.5cm with broad 1.0mm tip




	Product Description
PC-580.20NS	McPherson bipolar forceps non-stick straight 10cm with fine 0.5mm tip
PC-660.20NS	Bipolar forceps non stick straight 18cm with broad 1.0mm tip
PC-680.20NS	Bipolar forceps non stick bayonet 19.5cm with fine 0.5mm tip

Bipolar Forceps Argentum Non-stick, Angled



PC-61-020 1,0mm
200mm



PC-61-022 1,0mm
220mm



PC-81-020 1,0mm
200mm



PC-81-022 1,0mm
220mm



PC-675

Round Small Connector				
Working length	1½"	3⅝"	4"	4¾"
Total length	6¼"	8"	8¾"	9½"
0.6 mm	PC-660	PC-670	PC-677	
0.9 mm	—	PC-671	—	PC-679

Non-Irrigating Forceps

Bayonet Forceps Rose Gold, Insulated



PC-603

Round Connector						
	Hardy	Cushing	Scoville	Hardy	Hardy	Hardy
Working length	2"	3½"	3"	4½"	5"	6"
Total length	6"	7½"	7¾"	8½"	9"	10"
0.5 mm	PC-403	PC-600	PC-605	PC-610	PC-615	PC-530
0.7 mm	PC-404	PC-601	PC-606	PC-611	PC-616	PC-620
1.0 mm	PC-405	PC-602	PC-607	PC-612	PC-617	PC-621
1.5 mm	PC-406	PC-603	PC-608	PC-613	PC-618	PC-173
2.0 mm	PC-407	PC-604	PC-609	PC-614	PC-619	PC-531

Microform Forceps Rose Gold, Insulated



PC-579

Round Connector						
Working length	1 ³ / ₈ "	2 ³ / ₈ "	3"	3 ³ / ₄ "	4 ¹ / ₂ "	5 ¹ / ₂ "
Total length	6"	7"	7 ³ / ₄ "	8 ¹ / ₂ "	9 ¹ / ₄ "	10 ¹ / ₄ "
0.5 mm	PC-526	PC-570	PC-574	PC-578	PC-582	PC-586
0.7 mm	PC-527	PC-571	PC-575	PC-579	PC-583	PC-587
1.0 mm	PC-528	PC-572	PC-576	PC-580	PC-584	PC-588
1.3 mm	PC-529	PC-573	PC-577	PC-581	PC-585	PC-589

**Reverse Action Forceps
Rose Gold, Insulated**



PC-547

Round Connector		
	PC-547	PC-548
Tip	0.7 mm	1.0 mm
Working length	6"	6"
Total length	10"	10"

**Round Handle, Straight Forceps
Titanium, Non-Insulated**



PC-326



PC-328



PC-329

Round Connector				
	PC-326	PC-327	PC-328	PC-329
Total length	6"	6"	7 ¹ / ₈ "	7 ¹ / ₈ "
Tip	0.5 mm	0.5 mm curved	0.5 mm	0.5 mm curved

**Round Handle, Straight Forceps
Stainless Steel, Non-Insulated**



PC-345

Round Connector				
	PC-345	PC-346	PC-347	PC-348
Total length	6"	6"	7 ¹ / ₈ "	7 ¹ / ₈ "
Tip	0.7 mm	0.7 mm curved	0.7 mm	0.7 mm curved

Non-Irrigating Forceps

Straight Forceps Stainless Steel, Insulated and Non-Insulated



PC-335



PC-338



PC-336



PC-340

Round Connector				
	Jewelers		Tenzel	Adson
Total length	4"	4"	4"	5"
Tip	0.4 mm	0.4 mm curved	0.4 mm curved	1.0 mm
Non-Insulated	PC-335	PC-336	PC-338	PC-339
Insulated	PC-337	PC-159	PC-178	PC-340



PC-344



PC-304



PC-341

Round Connector					
	Semkin		Cushing		Gerald
Total length	5½"	6"	6"	7"	7"
Tip	0.7 mm	1.5 mm	0.7 mm	1.5 mm	1.0 mm
Non-Insulated	PC-311	PC-196	PC-302	PC-303	PC-306
Insulated	PC-179	PC-344	PC-197	PC-304	PC-341

Straight Forceps Rose Gold, Insulated



PC-172



PC-171



PC-413

Round Connector			
	Jewelers	Adson	Semkin
Total Length	4"	5"	6"
Tip	0.4 mm	1.0 mm	1.5 mm
	PC-172	PC-171	PC-413

**Straight Forceps Titanium,
Non-Insulated**



PC-177

Round Connector	
Total length	6"
Tip 0.25 mm	PC-176
0.5 mm	PC-177

Non-Irrigating Forceps

Bayonet Forceps Rose Gold, Insulated



PC-623

Round Connector					
Working length	3"	3½"	4½"	5"	6"
Total length	7¾"	7½"	8½"	9"	10"
0.5 mm	PC-627	PC-622	PC-632	PC-637	PC-532
0.7 mm	PC-628	PC-623	PC-633	PC-638	PC-642
1.0 mm	PC-629	PC-624	PC-634	PC-639	PC-643
1.5 mm	PC-630	PC-625	PC-635	PC-640	PC-174
2.0 mm	PC-631	PC-626	PC-636	PC-641	PC-533

Bayonet Forceps Stainless Steel, Insulated



PC-382

Round Connector					
	Scoville	Gerald	Cushing	Hardy	
Working length	2¾"	3½"	3½"	4½"	6"
Total length	7¾"	7½"	7½"	8½"	10"
Tip 0.5	—	—	—	PC-366	PC-193
0.7	—	—	PC-369	—	—
1.0	—	PC-368	PC-190	PC-382	PC-194
1.5	PC-367	—	PC-191	PC-385	PC-195
2.0	—	—	PC-370	PC-192	—

Bayonet Forceps Titanium, Insulated



Round Connector					
	PC-361	PC-362	PC-360	PC-363	PC-372
Working length	3 ³ / ₄ "	3 ³ / ₄ "	3 ³ / ₄ "	3 ³ / ₄ "	3 ³ / ₄ "
Total length	8 ³ / ₄ "	8 ³ / ₄ "	8 ³ / ₄ "	8 ³ / ₄ "	8 ³ / ₄ "
Tip	0.5 mm	1.0 mm	1.5 mm	0.5 mm angled up	0.5 mm angled down

Bayonet Forceps Rose Gold, Insulated



Round Connector					
	PC-166	PC-167	PC-168	PC-169	PC-170
Working length	3 ³ / ₄ "	3 ³ / ₄ "	3 ³ / ₄ "	3 ³ / ₄ "	3 ³ / ₄ "
Total length	8 ³ / ₄ "	8 ³ / ₄ "	8 ³ / ₄ "	8 ³ / ₄ "	8 ³ / ₄ "
Tip	0.5 mm	1.0 mm	1.5 mm	0.5 mm angled up	0.5 mm angled down

**Disposable Bayonet with 12' Cord
Stainless Steel, Insulated**



PC-156

Round Connector						
	Cushing Bayonet	Cushing Bayonet	Scoville Bayonet	Gerald Bayonet	Hardy Bayonet	Adson Straight
Working length	2 ³ / ₄ "	3 ¹ / ₂ "	2 ³ / ₄ "	3 ¹ / ₂ "	4 ¹ / ₂ "	—
Total length	7 ³ / ₄ "	7 ¹ / ₂ "	7 ³ / ₄ "	7 ¹ / ₂ "	8 ¹ / ₂ "	5"
Tip	0.5 mm	—	—	—	PC-154	—
	0.7 mm	—	PC-562	—	—	—
	1.0 mm	—	—	PC-560	PC-155	PC-158
	1.5 mm	—	PC-153	—	PC-156	—
	2.0 mm	PC-567	—	—	PC-157	—

**Disposable Bayonet with 12' Cord
Rose Gold, Insulated**



PC-206

Round Connector			
	Cushing Bayonet	Cushing Bayonet	Hardy Bayonet
Working length	2 ³ / ₄ "	3 ¹ / ₂ "	4 ¹ / ₂ "
Total length	7 ³ / ₄ "	7 ¹ / ₂ "	8 ¹ / ₂ "
Tip	0.5 mm	PC-201	PC-204
	0.7 mm	PC-561	PC-563
	1.0 mm	PC-202	PC-205
	1.5 mm	PC-559	PC-206
	2.0 mm	PC-566	PC-564

Bipolar Coagulation Forceps

SEMKIN MICRO



PRODUCT NUMBER	TIP WIDTH / STYLE	DESCRIPTION	LENGTH
PC-0510	0.7mm, Smooth	Insulated	140mm (5½")
PC-0511	0.7mm, Smooth	Non-Insulated	140mm (5½")

SEMKIN



PRODUCT NUMBER	TIP WIDTH / STYLE	DESCRIPTION	LENGTH
PC-0512	2.0mm, Smooth	Insulated	150mm (6")

HARDY MICRO



PRODUCT NUMBER	TIP STYLE	DESCRIPTION	LENGTH
PC-0551	0.5mm, Smooth	Insulated	210mm (8¼")
PC-0552	0.5mm, Smooth	Non-Insulated	210mm (8¼")

Monopolar Coagulation Forceps

ADSON



PRODUCT NUMBER	LEAD MOUNT	TIP STYLE / WIDTH		LENGTH
PC-0066	Screw	Serrated	1.5mm	125mm (5")
PC-0067	Screw	1 x 2 Teeth		125mm (5")
PC-0068	Screw	Smooth	1.5mm	125mm (5")
PC-0069	2.5mm Pin	Serrated	1.5mm	125mm (5")
PC-0070	2.5mm Pin	1 x 2 Teeth		125mm (5")
PC-0071	2.5mm Pin	Smooth	1.5mm	125mm (5")
PC-0072	4.76mm (3/16") Push/Pull	Serrated	1.5mm	125mm (5")
PC-0073	4.76mm (3/16") Push/Pull	1 x 2 Teeth		125mm (5")
PC-0074	4.76mm (3/16") Push/Pull	Smooth	1.5mm	125mm (5")
PC-0075	4mm Push/Pull	Serrated	1.5mm	125mm (5")
PC-0076	4mm Push/Pull	1 x 2 Teeth		125mm (5")
PC-0078	4mm Push/Pull	Smooth	1.5mm	125mm (5")

WAUGHS, McINDOES, GILLIES

PRODUCT NUMBER	DESCRIPTION	LEAD MOUNT	TIP STYLE	LENGTH
PC-0130	Waugh's	4.76mm (3/16") Push/Pull	Serrated	175mm (7")
PC-0131	Waugh's	4.76mm (3/16") Push/Pull	Serrated	200mm (8")
PC-0132	Waugh's	4.76mm (3/16") Push/Pull	1 x 2 Teeth Serrated	175mm (7")
PC-0133	Waugh's	4.76mm (3/16") Push/Pull	1 x 2 Teeth Serrated	200mm (8")
PC-0134	McIndoes	4.76mm (3/16") Push/Pull	Serrated	150mm (6")
PC-0135	McIndoes	4.76mm (3/16") Push/Pull	1 x 2 Teeth Serrated	150mm (6")
PC-0136	Gillies	4.76mm (3/16") Push/Pull	Serrated	150mm (6")
PC-0136	Gillies	4.76mm (3/16") Push/Pull	1 x 2 Teeth Serrated	150mm (6")
PC-0137	Waugh's	4mm Push/Pull	Serrated	175mm (7")
PC-0138	Waugh's	4mm Push/Pull	Serrated	200mm (8")
PC-0139	Waugh's	4mm Push/Pull	1 x 2 Teeth Serrated	175mm (7")
PC-0140	Waugh's	4mm Push/Pull	1 x 2 Teeth Serrated	200mm (8")
PC-0141	McIndoes	4mm Push/Pull	Serrated	150mm (6")
PC-0142	McIndoes	4mm Push/Pull	1 x 2 Teeth Serrated	150mm (6")
PC-0143	Gillies	4mm Push/Pull	Serrated	150mm (6")
PC-0144	Gillies	4mm Push/Pull	1 x 2 Teeth Serrated	150mm (6")



Monopolar Coagulation Forceps



REMINGTON HOBBS - STRAIGHT

PRODUCT NUMBER	LEAD MOUNT	TIP STYLE	LENGTH
PC-0145	Screw	Serrated	250mm (10")
PC-0146	2.5mm Pin	Serrated	250mm (10")
PC-0147	4.76mm (3/16") Push/Pull	Serrated	250mm (10")
PC-0148	4mm Push/Pull	Serrated	250mm (10")



REMINGTON HOBBS - ANGLED

PRODUCT NUMBER	LEAD MOUNT	TIP STYLE	LENGTH
PC-0149	Screw	Serrated	250mm (10")
PC-0150	2.5mm Pin	Serrated	250mm (10")
PC-0151	4.76mm (3/16") Push/Pull	Serrated	250mm (10")
PC-0152	4mm Push/Pull	Serrated	250mm (10")

Bipolar Clamps, curved



PC-04-014
145 mm



PC-04-019
190 mm

Graves Vaginal Speculum

With Smoke Evacuation Tube

Small **PC-1600**

Medium **PC-1602**

Large **PC-1604**



Disposable Tube

Pederson Vaginal Speculum

With Smoke Evacuation Tube

Small **PC-1612**

Medium **PC-1614**

Large **PC-1616**



Disposable Tube

VU-Max Grave Vaginal Speculum

With Smoke Evacuation Tube

Medium **PC-1624**

Large **PC-1626**



Disposable Tube

VU-Max Pederson Vaginal Speculum

With Smoke Evacuation Tube

Medium **PC-1632**

Large **PC-1634**



Disposable Tube



Collin Vaginal Speculum

With Smoke Evacuation Tube

Small **PC-1640**

Medium **PC-1642**

Large **PC-1644**



CUSCO Vaginal Speculum

With Smoke Evacuation Tube

Small **PC-1646**

Medium **PC-1648**

Large **PC-1650**



Lateral Vaginal Speculum
PC-1766



Graves Vaginal Speculum
With Smoke Evacuation Tube
Small **PC-1750**
Medium **PC-1752**
Large **PC-1754**



Pederson Vaginal Speculum
With Smoke Evacuation Tube
Small **PC-1756**
Medium **PC-1758**
Large **PC-1760**

Kogan Endocervical Speculum



3mm **PC-1770**

4mm **PC-1772**

5mm **PC-1774**



Collin Vaginal Speculum
With Smoke Evacuation Tube
Small **PC-1762**
Medium **PC-1764**
Large **PC-1766**



Excellence in Quality Instruments

If you need full catalogue please contact us

Praise Corporation

Address : Muslim Town, Airport Road Kotli Behram Sialkot 51310
Pakistan.

Tel : +92-52-4273725

+92-52-4273723

+92-52-4264934

Cell / Whatsapp : +92 301 8606300

Fax : +92-52-4262310

Email : info@praise.com.pk

Muhammad Afzal Mughal (Director)

Email : afzal@praise.com.pk



ISO 9001



ISO 13485

