



# PLASTIC SURGERY

[www.praise.com.pk](http://www.praise.com.pk)


## Marking Instruments




PITANGLY  
10000  
160 mm  
Face lift marker



D'ASSUMPCAO  
10010 160 mm  
10011 260 mm  
Face lift marker




D'ASSUMPCAO  
10020  
300 mm  
Face lift marker



LOCKWOOD  
10030  
320 mm  
Abdominal Demarcator  
with Angled Hinge



HALPREN  
10040 34 mm  
10041 38 mm  
10042 42 mm  
Breast Caliper




MOELTGEN  
10050  
240 mm  
Goniometer



10060  
130 mm  
Finger Goniometer




10070 150 mm  
10071 300 mm




10560	140 mm	10561
10562	150 mm	10563
10564	180 mm	10565
10566	200 mm	10567
10568	230 mm	10569
Straight		Curved

**METZANBAUM**  
Standard, Straight




**METZANBAUM**  
Standard, Curved



10580	140 mm	10581
10582	150 mm	10583
10584	180 mm	10585
10586	200 mm	10587
10588	230 mm	10589
Straight		Curved

**METZANBAUM**  
SuperCut, Straight  
One Blade Serrated



**METZANBAUM**  
SuperCut, Curved  
One Blade Serrated




10600	140 mm	10601
10602	180 mm	10603
10604	200 mm	10605
10606	230 mm	10607
Straight		Curved

**METZANBAUM**  
TC, Straight



**METZANBAUM**  
TC, Curved



**METZANBAUM**  
TC Super Cut, Straight  
One Blade Serrated



**METZANBAUM**  
TC Super Cut, Curved  
One Blade Serrated



**METZENBAUM-FINO**  
10640 140 mm  
10641 180 mm  
10642 200 mm  
Standard



**METZENBAUM-FINO**  
10650 140 mm  
10651 180 mm  
10652 200 mm  
Super Cut  
One blade serrated



**METZENBAUM-FINO**  
10660 140 mm  
10661 180 mm  
10662 200 mm  
TC



**METZENBAUM-FINO**  
10670 140 mm  
10671 180 mm  
10672 200 mm  
TC Super Cut  
One blade serrated



**METZENBAUM-BABY**  
10680 115 mm  
Standard



**METZENBAUM-BABY**  
10690 115 mm  
Super Cut  
One blade serrated



**METZENBAUM-BABY**  
10700 115 mm  
TC



**METZENBAUM-BABY**  
10710 115 mm  
TC Super Cut  
One blade serrated



LEXER  
10720 160 mm  
Standard



LEXER  
10730 160 mm  
Super Cut  
One blade serrated



LEXER  
10740 160 mm  
TC



LEXER  
10750 160 mm  
TC Super Cut  
One blade serrated



MAYO LEXER  
10760 165 mm  
TC



MAYO LEXER  
10770 165 mm  
TC Super Cut  
One blade serrated



MAYO STILLE  
10780 170 mm  
Standard



MAYO STILLE  
10790 170 mm  
Super Cut  
One blade serrated



MAYO STILLE  
10800 170 mm  
TC



MAYO STILLE  
10810 170 mm  
TC-SuperCut  
One blade serrated



REYNOLDS  
10820 140 mm  
10821 160 mm  
Standard



REYNOLDS  
10830 140 mm  
10831 160 mm  
TC



JOSEPH  
10840 150 mm  
Standard



JOSEPH  
10850 150 mm  
SuperCut  
One blade serrated



KELLY  
10860 160 mm  
Standard



KELLY  
10870 160 mm  
SuperCut  
One blade serrated



KELLY  
10880 160 mm  
TC



KELLY  
10890 160 mm  
TC-SuperCut  
One blade serrated





MAYO  
10960 145 mm  
10961 150 mm  
10962 170 mm  
10963 230 mm  
Straight




MAYO  
10970 145 mm  
10971 150 mm  
10972 170 mm  
10973 230 mm  
Curved



METZENBAUM-NELSON  
Straight

115 mm	10980	11000	11020
145 mm	10981	11001	11021
150 mm	10982	11002	11022
180 mm	10983	11003	11023
200 mm	10984	11004	11024
230 mm	10985	11005	11025
250 mm	10986	11006	11026
280 mm	10987	11007	11027
300 mm	10988	11008	11028
	Blunt / Blunt Straight	Sharp / Blunt Straight	Sharp / Sharp Straight


115 mm	11040	11060	11080
145 mm	11041	11061	11081
150 mm	11042	11062	11082
180 mm	11043	11063	11083
200 mm	11044	11064	11084
230 mm	11045	11065	11085
250 mm	11046	11066	11086
280 mm	11047	11067	11087
300 mm	11048	11068	11088
	Blunt / Blunt Curved	Sharp / Blunt Curved	Sharp / Sharp Curved




METZENBAUM-NELSON  
Curved



STEVENS  
11100 95 mm  
Straight, Sharp / Sharp  
Tenotomy Scissors



STEVENS  
11110 120 mm  
Curved, Sharp / Sharp  
Tenotomy Scissors



IRIS  
11120 Straight 11122  
11121 Curved 11123  
95 mm 105 mm  
Sharp / Sharp



UNIVERSAL  
11130 120 mm  
Wire Scissors  
TC, Serrated



NOIR  
11260 195 mm  
Upwards Curved  
Angled Bayonet Shape  
Sharp / Sharp  
Working Length 70 mm



NOIR  
11270 185 mm  
Upwards Curved  
Angled Bayonet Shape  
Sharp / Sharp  
Working Length 60 mm




NOIR  
11280 245 mm  
Upwards Curved  
Angled Bayonet Shape  
Sharp / Sharp  
Working Length 120 mm

## Micro Scissors



NOIR  
11290 215 mm  
Upwards Curved  
Angled Bayonet Shape  
Sharp / Sharp  
Working Length 90 mm



NOIR  
11300 195 mm  
Upwards Curved  
Angled Bayonet Shape  
Sharp / Sharp  
Working Length 70 mm



NOIR  
11310 195 mm  
Upwards Curved  
Angled Bayonet Shape  
Sharp / Sharp  
Working Length 70 mm



GENERAL FORCEPS  
11320 150 mm  
TC, Serrated



GILLIES  
11330 150 mm  
1 x 2 Teeth  
Cross Serrated  
Dissecting Forceps



MCINDOE  
11340 150 mm  
Serrated  
Dissecting Forceps



SEMKEN  
11350 150 mm  
1 x 2 Teeth  
TC, Cross-serrated

## Dressing & Dissecting Forceps



CUSHING  
11360 170 mm  
Angled  
TC, Cross Serrated



CUSHING  
11370 170 mm  
Titanium, Serrated



CUSHING  
11380 170 mm  
TC, Cross Serrated



TAYLOR CUSHING  
11390 180 mm  
TC, Cross Serrated  
Bayonet



SKINNER  
11400 230 mm  
1 x 2 Teeth  
TC, Cross Serrated



GERALD  
11410 180 mm  
1 x 2 Teeth  
11411 180 mm  
TC, Cross Serrated



POTTS-SMITH  
11420 180 mm  
11421 210 mm  
11422 250 mm  
TC, Cross Serrated




BONNEY  
11430 170 mm  
1 x 2 Teeth  
TC, Cross Serrated



## Dressing & Dissecting Forceps



PAR FORCEPS  
11440 120 mm  
TC, Cross Serrated.



ADSON  
11450 120 mm  
11451 150 mm  
1 x 2 teeth  
TC, Cross serrated  
Micro Forceps



BROWN-ADSON  
11460  
2 lines of teeth  
120 mm, Brown teeth



BROWN-ADSON  
11470 120 mm  
11471 150 mm  
2 lines of teeth  
TC, Cross Serrated



ADSON  
11480 120 mm  
1 x 2 teeth with 1 mm platform  
Tubiana Forceps



ADSON  
11490 Standard  
11491 Micro  
120 mm, Serrated



ADSON  
11500 120 mm  
Cross Serrated



ADSON  
11510 120 mm  
11511 150 mm  
1 x 2 lines of teeth  
TC, Cross Serrated



ADSON  
11520 120 mm  
Smooth, 1 x 2 teeth  
Titanium



ADSON  
11530 120 mm  
Smooth, 1 x 2 teeth  
Tissue Forceps



1.5 mm

**DE BAKEY**

- 11600 120 mm
- 11601 145 mm
- 11602 160 mm
- 11603 200 mm
- 11604 240 mm
- 11605 300 mm

Dissecting Forceps  
Titanium, 1.5 mm Tip



1.5 mm

**DE BAKEY**

- 11640 150 mm
- 11641 190 mm
- 11642 240 mm

Dissecting Forceps  
TC, 1.5 mm Tip



2.0 mm

**DE BAKEY**

- 11620 120 mm
- 11621 145 mm
- 11622 160 mm
- 11623 200 mm
- 11624 240 mm
- 11625 300 mm

Dissecting Forceps  
Titanium, 2.0 mm Tip



2.0 mm

**DE BAKEY**

- 11650 150 mm
- 11651 190 mm
- 11652 240 mm

Dissecting Forceps  
TC, 2.0 mm Tip



SEMKEN  
11740  
1.0 mm tip, 150 mm  
Straight Insulated  
Bipolar Forceps



JEWELERS  
11750 100 mm  
Straight



JEWELERS  
11760 100 mm  
Straight, Insulated  
Bipolar Forceps



MCPHERSON  
11770 70 mm  
Straight



MCPHERSON  
11780 70 mm  
Straight, Insulated  
Bipolar Forceps



ADSON  
11790 120 mm  
Straight, Insulated  
Bipolar Forceps

## Bipolar Forceps



MCPHERSON  
11800 70 mm  
Angled Tip  
Bipolar Forceps



MCPHERSON  
11810 70 mm  
Angled, Insulated  
Bipolar Forceps



JEWELERS  
11820 0.25 mm tip  
11821 0.60 mm tip  
110 mm, Angled  
Bipolar Forceps, Non-Stick



JEWELERS  
11830 0.25 mm tip  
11831 0.60 mm tip  
110 mm, Straight



CUSHING  
11840  
1.0 mm Tip, 180 mm  
Bipolar Bayonet Forceps  
Non-Stick



SEMKEN  
11850  
0.6 mm Tip, 150 mm  
11851  
1.0 mm Tip, 150 mm  
Straight  
Bipolar Forceps,  
Non-Stick

# Chisels & Osteotomes for Rhinoplastic



WALTER  
13600  
180 mm, 4.5 mm  
Chisel, With Notch



CERAMIC OSTEOTOME  
13610  
190 mm, 2 mm



CERAMIC OSTEOTOME  
13620  
190 mm, 3 mm



CERAMIC OSTEOTOME  
13630  
190 mm, 4 mm

Endo Plastic Facial Dissectors



14370  
240 mm  
12 mm wide Tip  
30 degrees  
Slightly Curved Shaft



14380  
240 mm  
7 mm wide Cottle Tip  
Curved Shaft



14390  
240 mm  
7 mm wide Cottle Tip  
Straight Shaft



14400  
260 mm  
7 mm wide Tip  
S-Shaped Extended Shaft

## Endo Dissectors

### Endo Plastic Facial Dissectors



14410 5 mm wide tip  
200 mm  
14411 5 mm wide tip  
14412 7 mm wide tip  
14413 10 mm wide tip  
240 mm  
Slightly Curved Shaft



14420 10 mm wide tip  
14421 5 mm wide tip  
14422 7 mm wide tip  
220 mm  
Straight Shaft



14430  
240 mm  
10 mm wide Tip  
Mid Face tapered &  
rounded tip  
S Shaped Shaft



14440  
250 mm  
Periosteal Dissector  
Concave shovel tip  
Curved shaft



Endo Plastic Facial Dissectors



14450  
240 mm  
Small Chisel Head  
Mini Langenbeck tip  
Half Curved Shaft



14460  
240 mm  
Small Cobra Shaped Head  
Mini Cottle Finishing  
4 mm Wide Tip  
Slightly Curved Shaft



14470  
220 mm  
Tapered Chisel Tip  
12 mm Wide  
Slightly Curved Shaft



14480  
240 mm  
Temporal Dissector  
Concave Shovel tip  
Straight Shaft

## Endo dissectors

### Endo Plastic Facial Dissectors





14490  
240 mm  
Tip Bent Up, Delicate Dissection  
Sites, Round Button  
Finishing Tip, S Shaped Shaft  
Endo Plastic Facial Dissector





14500  
220 mm  
2 mm Hole With Suction,  
Round Edges, Slightly Curved  
8 mm Wide Tip  
Endo Plastic Facial Elevator



14510 Curved Left  
14511 Curved Right  
220 mm  
14512 Curved Left  
14513 Curved Right  
240 mm  
Endo Plastic Nerve Hook




- 14520 Blade with Teeth 90 x 24 mm  
 14521 Blade without Teeth 90 x 24 mm  
 14522 Blade with Teeth 90 x 30 mm  
 14523 Blade without Teeth 90 x 30 mm  
 229 mm  
 With Suction Port




- 14530 Blade with Teeth 150 x 30 mm  
 14531 Blade without Teeth 150 x 30 mm  
 14532 Blade with Teeth 190 x 30 mm  
 14533 Blade without Teeth 190 x 30 mm  
 229 mm  
 With Suction Port


TBTS Style, Endoplastic Retractors



14540  
229 mm  
Blade 190 x 30 mm  
Blade Without Teeth  
With Suction Port




FERREIRA  
14550 Blade 25 x 171 mm  
Length 130 mm  
Breast Augmentation Retractor  
With Fiber Optic




**FERRIERA**

- 14560 Blade 80 x 16 mm.
  - 14561 Blade 100 x 25 mm.
  - 14562 Blade 120 x 25 mm.
  - 14563 Blade 120 x 30 mm.
  - 14564 Blade 150 x 25 mm.
  - 14565 Blade 150 x 30 mm.
  - 14566 Blade 150 x 36 mm.
- With Cold Light & Aspiration




**TEBBETTS**

- 14580 Blade 180 x 25 mm.
  - 14581 Blade 80 x 16 mm.
  - 14582 Blade 100 x 25 mm.
  - 14583 Blade 120 x 25 mm.
  - 14584 Blade 120 x 30 mm.
  - 14585 Blade 150 x 25 mm.
  - 14586 Blade 150 x 30 mm.
- With Cold Light & Aspiration



- 14600 Blade 90 x 20 mm
- 14601 Blade 90 x 30 mm.
- 14602 Blade 90 x 24 mm.
- 14603 Blade 150 x 20 mm
- 14604 Blade 150 x 30 mm
- 14605 Blade 150 x 24 mm
- 14606 Blade 190 x 30 mm
- 14607 Blade 190 x 25 mm



- 14620 Blade 120 x 23 mm.
- Multi Purpose Retractor


## Face Lift Retractors



**FREEMAN**  
14630 12 mm Wide  
14631 24 mm Wide  
200 mm  
Flap Retractor



**DEAVER**  
14640 180 mm, 19 mm wide  
14641 200 mm, 25 mm wide  
14642 300 mm, 25 mm wide  
14643 300 mm, 75 mm wide  
Retractor



**EPSTEIN-DEAVER**  
14650 25 mm wide  
200 mm  
Retractor



**BIGGS**  
14660 Standard Blade 50 mm  
14661 Narrow Blade 30 mm  
  
14662 Standard Blade 50 mm  
14663 Narrow Blade 30 mm  
With Fibre Optics & Smoke  
Evacuation Retractors




**RIBBON**  
14670 5 mm wide  
14671 10 mm wide  
14672 15 mm wide  
14673 20 mm wide  
14674 25 mm wide  
180 mm  
Malleable Retractor



14690  
37 x 70 mm  
22 x 54 mm  
310 mm  
Breast Retractor Double-Ended



14700  
37 x 70 mm  
22 x 54 mm  
310 mm  
Breast Retractor Double-Ended  
With Fiber optics



AGRIS-DINGMAN  
14710  
360 mm  
Graduated  
Set of Two



MACCOLLUM-DINGMAN  
14720 410 mm  
14721 310 mm



TEBBETTS  
14730  
330 mm



TEBBETTS  
14740  
330 mm



REYNOLDS  
(Transauxillary)  
14750  
400 mm






SILVERSTEIN  
14760  
350 mm



LOCKWOOD  
14770  
380 mm



14780 220 mm  
14781 290 mm



14790 220 mm  
14791 290 mm



14850  
130 mm  
Ø 13 mm



14860  
130 mm  
Ø 13 mm



14870  
130 mm  
Ø 13 mm  
360° Rotatable



14880  
130 mm  
Ø 13 mm  
360° Rotatable



14890  
140 mm



14900  
140 mm



14910  
Ø 40 mm



14920  
50 mm



**Excellence in Quality Instruments**

"For over 25 years, Praise Corporation has been devoted to providing its customers with the highest quality surgical instruments. Praise, is committed to provide you with the highest quality surgical instruments. We are the original equipment manufacturers (OEM) for surgical instruments."

## Praise Corporation

Address : Muslim Town, Airport Road Kotli Behram Sialkot 51310  
Pakistan.

Tel : +92-52-4273725

+92-52-4273723

+92-52-4264934

Cell / Whatsapp : +92 301 8606300

Fax : +92-52-4262310

Email : [info@praise.com.pk](mailto:info@praise.com.pk)

Muhammad Afzal Mughal (Director)

Email : [afzal@praise.com.pk](mailto:afzal@praise.com.pk)

